

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S33	3	((("6274887") or ("6784037")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/18 10:50
S34	2	("6380007").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/18 13:15
S17	31	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and "mounting substrate"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/18 13:21
S35	67	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (((black light) near10 (epoxy resin)) with conduct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/18 13:24
S38	41	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (polyimide near10 conduct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/18 13:44
S37	55	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (polyimide with conduct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/18 13:44
S40	1	"917677".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:01
S39	21	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (polyimide near5 conduct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:03

S36	18	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (((black (light near\$3 (absorb\$3 block\$3))) near10 (epoxy resin)) with conduct\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:04
S44	1691	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (substrate with ("stainless steel" tungsten w ni nickel metal))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:05
S42	21	S41 and ((black (light near3 (absorb\$3 block\$3 shield\$3))) near10 (epoxy resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:05
S47	11	S46 and ((black (light near3 (absorb\$3 block\$3 shield\$3))) near10 (epoxy polyimide resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:07
S46	264	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (substrate near10 ("stainless steel" tungsten w ni nickel ))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:07
S41	391	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (substrate with ("stainless steel" tungsten w ni nickel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:07
S43	21	S41 and ((black (light near3 (absorb\$3 block\$3 shield\$3))) near10 (epoxy polyimide resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:16
S45	1360	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (substrate near10 ("stainless steel" tungsten w ni nickel metal))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:36
S53	74	S52 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:37

S52	92	S51 and ((black (light near3 (absorb\$3 block\$3 shield\$3))) near10 (epoxy polyimide resin acrylic))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:37
S51	1463	313/498,499,500,501,502,503,504,506,507,508,509,512.ccls. and (substrate near10 (metal metallic metallized metallized))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:37
S50	62	S49 not S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:37
S49	80	S48 and ((black (light near3 (absorb\$3 block\$3 shield\$3))) near10 (epoxy polyimide resin acrylic))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 13:37
S55	9	("5104749"   "5247190"   "5399502"   "5558904"   "5684365"   "6114183"   "6147451"   "6201343"   "6312837").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/19 13:41
S54	12	S53 not S50	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 15:31
S48	1359	313/498,499,500,501,502,503,504,506,507,508,509.ccls. and (substrate near10 (metal metallic metallized metallized))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 15:40
S56	1269	313/498,499,500,501,502,503,504,506,507,508,509,512.ccls. and (substrate near10 (metal metallic metallized metallized steel nickel tungsten)) and (substrate same ("stainless steel" ceramic nitride carbide oxide alumina))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 15:42
S57	1047	313/498,499,500,501,502,503,504,506,507,508,509,512.ccls. and (substrate near10 (metal metallic metallized metallized steel nickel tungsten)) and (substrate with ("stainless steel" ceramic nitride carbide oxide alumina))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 15:43

S59	152	313/498,499,500,501,502,503,504,506,507,508,509,512.ccls. and (substrate near5 (metal metallic metallized metallized steel nickel tungsten)) and (((moisture protect\$3) near5 (ceramic nitride carbide oxide alumina)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 16:27
S60	37	313/498,499,500,501,502,503,504,506,507,508,509,512.ccls. and (substrate near5 (metal metallic metallized metallized steel nickel tungsten)) and (((moisture protect\$3) near5 (ceramic nitride carbide oxide alumina))) with substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/19 16:28
L2	2	("6150043").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/20 12:13
S58	107	313/498,499,500,501,502,503,504,506,507,508,509,512.ccls. and (substrate near10 (metal metallic metallized metallized steel nickel tungsten)) and (((substrate near4 (support holder panel second auxiliary additional))) with ("stainless steel" ceramic nitride carbide oxide alumina))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/20 12:16
L4	107	313/498,499,500,501,502,503,504,506,507,508,509,512.ccls. and (substrate near10 (metal metallic metallized metallized steel nickel tungsten)) and (((substrate near4 (support holder panel second auxiliary additional))) with ("stainless steel" ceramic nitride carbide oxide alumina))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/20 12:17
L6	5797	yamazaki-shunpei.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/20 14:32
L5	168	3 not L4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/20 14:32
L3	172	313/498,499,500,501,502,503,504,506,507,508,509,512.ccls. and (substrate near10 (foil))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/20 14:32
L8	58	6 and (substrate near10 (metal metallic foil)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/20 14:33

L7	1059	6 and (substrate near10 (metal metallic foil))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/20 14:33
----	------	--	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	34	((445/23,24,25.ccls.) ("438"/\$.ccls.)) and (substrate near5 (metal foil metallic)) and ((substrate near holder) near5 ("stainless steel" alumina ceramic oxide nitride carbide))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/20 15:33